GEA Mission

The Global Electronics Association promotes industry growth and strengthens supply chain resilience.

About IPC Standards by Global Electronics Association

IPC standards and publications by Global Electronics Association are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. Existence of such standards and publications shall not in any respect preclude any entity from manufacturing or selling products not conforming to such standards and publications, nor shall the existence of such standards and publications preclude their voluntary use.

IPC standards and publications by Global Electronics Association are approved by committees without regard to whether the standards or publications may involve patents on articles, materials or processes. By such action, Global Electronics Association does not assume any liability to any patent owner, nor does Global Electronics Association assume any obligation whatsoever to parties adopting a standard or publication. Users are wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

Global Electronics Association Position Statement on Specification Revision Change

The use and implementation of IPC standards and publications by Global Electronics Association are voluntary and part of a relationship entered into by customer and supplier. When a standard or publication is revised or amended, the use of the latest revision or amendment as part of an existing relationship is not automatic unless required by the contract. Global Electronics Association recommends the use of the latest revision or amendment.

Standards Improvement Recommendations

Global Electronics Association welcomes comments for improvements to any standard in its library. All comments will be provided to the appropriate committee.

If a change to technical content is requested, data to support the request is recommended. Technical comments to include new technologies or make changes to published requirements should be accompanied by technical data to support the request. This information will be used by the committee to resolve the comment.

To submit your comments, visit the Status of Standardization page at www.electronics.org/status.

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions. *Any copying, scanning or other reproduction of these materials without the prior written consent of the copyright holder is strictly prohibited and constitutes infringement under the Copyright Law of the United States.*

IPC-4101F

Specification for Base Materials for Rigid and Multilayer Printed Boards

If a conflict occurs between the English language and translated versions of this document, the English version will take precedence.

Developed by the 3-11A IPC-4101 Task Group of the 3-10 Base Materials General Committee

Global Electronics Association Standards and Artificial Intelligence (AI) Statement

Global Electronics Association is the trading name of IPC International, Inc., which owns the copyright to all IPC Standards and other IPC materials.

The Global Electronics Association explicitly prohibits:

- The integration or transfer of any data whether in the form of IPC books, standards, metadata, or other formats — into AI engines or algorithms by any person or entity, including authorized distributors and their end users.
- Activities involving data harvesting, text and data mining, enrichment, or the creation of derivative works based on this data, including the use of automated data collection methods or artificial intelligence.

Any breach of these provisions is considered a copyright infringement unless expressly authorized in advance in writing by the Global Electronics Association.

Supersedes:
IPC-4101E WAM1 – April 2020

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

Global Electronics Association
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

Table of Contents

1 SCOPE 1
1.1 Purpose 1
1.2 Classification 1
1.3 Measurement Units 1
1.4 Definition of Requirements 1
1.5 Process Control Requirements 1
1.6 Order of Precedence 1
1.6.1 Conflict 2
1.6.2 Clause References 2
1.6.3 Appendices 2
1.7 Use of "Lead" 2
1.8 Abbreviations and Acronyms 2
1.9 Terms and Definitions 2
1.9.1 As Agreed Between User and Supplier (AABUS) 2
1.9.2 Epoxy, Multifunctional 2
1.9.3 Epoxy, Difunctional 2
1.9.4 Manufacturer 2
1.9.5 Spread Glass Fabric 2
1.10 Product Classification 2
1.10.1 Specification Sheet Description 3
1.10.2 Nominal Laminate Thickness 3
1.10.3 Metal Cladding Type and Nominal Weight/ Thickness 3
1.10.3.1 Metal Cladding Type 3
1.10.3.2 Nominal Weight/Thickness 4
1.10.4 Thickness Tolerance Class (Laminate) 5
1.10.5 Surface Quality Class 5
1.10.6 Reinforcement Style 5
1.10.7 Prepreg Parameters 5
1.10.8 Color 6
1.10.8.1 Contrast Agents 6
1.11 Dimensions and Tolerances 6
1.12 Applicability of Appendix A 6
2 APPLICABLE DOCUMENTS 6
2.1 IPC 6
2.2 National Conference of Standards Laboratories International 8
2.3 American National Standards Institute 8
2.4 UL Solutions (UL) 8
2.5 European Union 8
2.6 ASTM International 8
2.7 JEDEC 8
2.8 AIAG 8
2.9 International Aerospace Quality Group (IAQG) 9
3 REQUIREMENTS 9
3.1 Requirement Definitions 9
3.1.1 Qualification Assessment 9
3.1.2 Quality Conformance Testing 9
3.1.3 Supplier's Quality System 9
3.1.4 Self Declaration 9
3.1.5 Sample Qualification 9
3.1.6 Internal Assessment 9
3.1.7 Individual Customer Audit 9
3.1.8 Independent Third Party Assessment 9
3.2 Specification Sheets 9
3.3 Manufacturer Quality Profile 10
3.4 Qualification Testing 10
3.4.1 Qualification Testing of Laminate 13
3.4.2 Qualification Testing of Prepreg 13
3.5 Verification of Manufacturer's Quality System 13
3.6 Materials 13
3.6.1 Metal Cladding 13
3.6.2 Reinforcement Fabric 13
3.6.3 Resin Systems 13
3.7 General Requirements 13
3.7.1 Fabricated Sheets and Panels 13
3.7.1.1 Fabricated Laminate Sheet Material 13
3.7.1.2 Fabricated Laminate Panel Material 13
3.7.1.3 Fabricated Prepreg Panels 13
3.7.1.4 Fabricated Prepreg Rolls 13
3.7.2 Inspection Lot 14
3.7.2.1 Inspection Lot for Laminate 14
3.7.2.2 Inspection Lot for Prepreg 14
3.7.2.3 Etching Process and Etchant Removal for Copper Foil Specimens 14
3.7.3 Visual Properties 14
3.7.3.1 Laminate Visual Properties 14
3.7.3.1.1 Foil Indentations 14
3.7.3.1.2 Wrinkles 15
3.7.3.1.3 Scratches 15

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois.

3.7.3.1.4 Plastic Surface Finish of Metal-Clad Single-Sided Base Material ... 15
3.7.3.1.5 Surface Finish of Foil after Curing – Except Double Treat ... 15
3.7.3.1.6 Surface and Subsurface Imperfections ... 15
3.7.3.2 Prepreg Visual Properties ... 16
3.7.3.2.1 Inclusions ... 16
3.7.3.2.2 Impregnation Imperfections ... 16
3.7.4 Dimensional ... 16
3.7.4.1 Length and Width ... 16
3.7.4.1.1 Length and Width of Laminate ... 16
3.7.4.1.2 Length and Width of Prepreg ... 17
3.7.4.1.3 Prepreg Roll Width ... 17
3.7.4.1.4 Prepreg Roll Length ... 17
3.7.4.2 Thickness ... 17
3.7.4.2.1 Class A, B and C Laminate Materials ... 17
3.7.4.2.2 Class D Laminate Materials ... 17
3.7.4.2.3 Class K, L and M Laminate Materials ... 18
3.7.4.2.4 Thickness Tolerance of Laminate Materials ... 18
3.7.4.3 Bow and Twist of Laminate Materials ... 18
3.7.4.3.1 Sheets and Panels with Both Dimensions ≥300 mm [11.81 in] ... 18
3.7.4.3.2 Panels with One or Both Dimensions <300 mm [11.81 in] ... 19
3.8 Physical Requirements ... 19
3.8.1 Physical Requirements of Laminate Materials ... 19
3.8.1.1 Peel Strength ... 19
3.8.1.1.1 Peel Strength after Thermal Stress ... 19
3.8.1.1.2 Peel Strength at Elevated Temperature ... 19
3.8.1.1.3 Peel Strength after Process Chemicals (Optional Test) ... 19
3.8.1.2 Dimensional Stability ... 19
3.8.1.3 Flexural Strength ... 19
3.8.1.4 Flexural Strength at Elevated Temperature ... 19
3.8.1.5 Thermal Conductivity [W/(m°K)] ... 19
3.8.1.6 Coefficient of Thermal Expansion (CTE) (Optional Test) ... 20
3.8.1.7 Z-Axis CTE/Total Expansion (Optional Test) ... 20
3.8.1.8 Polymer Fracture Toughness (Optional Test) ... 20
3.8.2 Physical Requirements of Prepreg Materials ... 20
3.8.2.1 Resin Content ... 20
3.8.2.1.1 Resin Content Percent (RC) (by Treated Weight) ... 20
3.8.2.1.2 Resin Content Percent (RC) (by Burn-Off) ... 20
3.8.2.1.3 Treated Weight Total (TW) ... 20
3.8.2.1.4 Variation Within a Panel ... 20
3.8.2.2 Flow Parameter ... 20
3.8.2.2.1 Resin Flow Percent (MF) ... 20
3.8.2.2.2 Scaled Flow Thickness (SC) ... 20
3.8.2.2.3 No Flow (NF) ... 20
3.8.2.2.4 Rheological Flow (RE) (Optional Test) ... 21
3.8.2.2.5 Melt Viscosity (MV) (Optional Test) ... 21
3.8.2.2.6 Delta H (DH) (Optional Test) ... 21
3.8.2.2.7 Percent Cure (PC) (Optional Test) ... 21
3.8.2.3 Gel Time (GT) (Optional Test) ... 21
3.8.2.4 Volatile Content (VC) (Optional Test) ... 21
3.8.2.5 Thermal Conductivity (Prepreg Reference) [W/(m°K)] ... 21
3.9 Chemical Requirements ... 21
3.9.1 Chemical Requirements of Laminate Materials ... 21
3.9.1.1 Flammability ... 21
3.9.1.2 Thermal Stress ... 22
3.9.1.3 Solderability ... 22
3.9.1.4 Chemical Resistance (Optional Test) ... 22
3.9.1.5 Metal Surfaces Cleanability ... 22
3.9.1.6 Glass Transition Temperature (Tg) ... 22
3.9.1.7 Delta Tg by DSC (Optional Test) ... 22
3.9.1.8 Decomposition Temperature (Td) (Optional Test) ... 22
3.9.1.9 Time to Delamination (TMA) (Optional Test) ... 23
3.9.2 Chemical Requirements of Prepreg Materials ... 23
3.9.2.1 Flammability ... 23
3.9.2.2 Chemical Resistance (Optional Test) ... 23
3.9.2.3 Presence of Dicyandiamide (Dicy) (Optional Test) ... 23
3.10 Electrical Requirements ... 23
3.10.1 Electrical Requirements of Laminate Materials ... 23
3.10.1.1 Permittivity ... 23
3.10.1.2 Loss Tangent ... 23
3.10.1.3 Volume Resistivity ... 23
3.10.1.4 Surface Resistivity ... 23
3.10.1.5 Arc Resistance ... 23
3.10.1.6 Dielectric Breakdown ... 23
3.10.1.7 Electric Strength ... 23
3.10.2 Electrical Requirements of Prepreg Materials ... 24

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois.

3.10.2.1 Permittivity ... 24
3.10.2.2 Loss Tangent ... 24
3.10.2.3 Electric Strength ... 24
3.11 Environmental Requirements ... 24
3.11.1 Environmental Requirements of Laminate Materials ... 24
3.11.1.1 Moisture Absorption ... 24
3.11.1.2 Fungus Resistance (Optional Test) ... 24
3.11.1.3 Pressure Vessel (Optional Test) ... 24
3.11.1.4 Total Halogen Content (Optional Test) ... 24
3.11.1.5 Conductive Anodic Filament (CAF) Growth (Optional Test) ... 24
3.11.2 Environmental Requirements of Prepreg Materials ... 24
3.11.2.1 Fungus Resistance (Optional Test) ... 24
3.11.2.2 Conductive Anodic Filament (CAF) Growth (Optional Test) ... 24
3.12 Substitutability ... 25
3.12.1 Permissible Substitutions of Specification Sheet Materials ... 25
3.12.2 Substitutability of Classes of Pits and Dents ... 25
3.12.3 Substitutability of Classes of Thickness Tolerance ... 25
3.12.4 Remarking of Substituted Laminates ... 25
3.13 Marking ... 25
3.13.1 Marking Laminate Materials ... 25
3.13.2 Marking Prepreg Materials ... 25
3.13.3 Marking of Shipping Containers ... 25
3.14 Workmanship ... 26
3.15 Material Safety ... 26
3.16 Prepreg Shelf Life ... 26
4 QUALITY ASSURANCE PROVISIONS ... 26
4.1 Quality System ... 26
4.2 Responsibility for Inspection ... 26
4.2.1 Test Equipment and Inspection Facilities ... 26
4.3 Qualification Testing ... 26
4.3.1 Samples ... 26
4.3.2 Frequency ... 26
4.3.3 Laminator Qualification Profile ... 27
4.3.4 Changes in Composition ... 27
4.3.5 Qualification Data Retention ... 27
4.4 Quality Conformance Inspection ... 27
4.4.1 Frequency ... 27
4.4.2 Acceptance Criteria ... 27
4.4.3 Rejected Lots ... 27
4.4.4 Conformance Data Retention ... 27
4.4.5 Certificate of Conformance ... 28
4.5 Statistical Process Control (SPC) ... 28
5 PREPARATION FOR DELIVERY ... 28
5.1 Packaging Materials ... 28
5.2 Authorized Distributors ... 28
6 OTHER ... 29
6.1 Ordering Information ... 29
6.1.1 Ordering Data for Laminate Materials ... 29
6.1.2 Ordering Data for Prepreg Materials ... 29
6.2 New Materials ... 29
7 KEYWORDS ... 30
7.1 Keyword Search Terms (Electronic/Soft Copy Searches) ... 30
7.2 Segmented Keyword Search Terms ... 30
APPENDIX A Supplemental Inspection (IPC-4101 supplemental inspection requirements if required in procurement documentation or master drawing) ... 153
A.1 SCOPE ... 153
A.2 PREPREG ... 153
A.2.1 Acceptance Criteria for Prepreg ... 153
A.2.2 Test Method for Prepreg ... 153
A.2.3 Rejection Criteria for Prepreg ... 153
A.3 LAMINATE ... 153
A.3.1 Acceptance Criteria for Laminate ... 153
A.3.2 Test Method for Laminate ... 153
A.3.3 Rejection Criteria for Laminate ... 153
A.3.4 In-Process Requirement for Laminate ... 153
A.3.5 Hi-Pot Test for Laminate ... 154
A.4 APPLICABILITY ... 154
A.5 CERTIFICATE OF CONFORMANCE ... 154
A.6 QUALITY CONFORMANCE INSPECTION AND FREQUENCY ... 154
APPENDIX B Abbreviations and Acronyms ... 155

Figures

Figure 3-1 Thickness Measurements for Laminates 17

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois.

Tables

Table 1-1 Metal Cladding Types 4
Table 1-2 Copper Foil Weight and Thickness 4
Table 3-1 Reference Information and Test Frequency of Laminate 10
Table 3-1 Reference Information and Test Frequency of Laminate (continued) 11
Table 3-2 Reference Information and Test Frequency of Prepreg 12
Table 3-3 Point Value for Longest Dimensions of Indentation 14
Table 3-4 Surface Quality Classification 15
Table 3-5 Permissible Variation in Length and Width of Laminates 16
Table 3-6 Permissible Variation in Length and Width of Prepregs 17
Table 3-7 Thickness and Tolerances for Laminates 18
Table 3-8 Permissible Bow and Twist for Laminates 18
Table 3-9 Flammability Requirements 21
Table 3-10 Permissible Material Substitutions 25
Table 4-1 Quality Conformance Plan for Monthly, Quarterly and Annual Tests – Laminate 27
Table 4-2 Quality Conformance Plan for Monthly, Quarterly and Annual Tests – Prepreg 27
Table A-1 Summary Table of Modifications in Appendix A 154

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois.

IPC-4101F Specification for Base Materials for Rigid and Multilayer Boards

1 SCOPE

This specification covers the requirements for base materials, herein referred to as laminate or prepreg, to be used primarily for rigid or multilayer printed boards for electrical and electronic circuits.

1.1 Purpose

The purpose of this standard is to classify and characterize base materials for use in rigid and multilayer boards for electronic applications. It is to be used for procurement and quality assurance activities.

1.2 Classification

CLASS 1 General Electronic Products

Includes products suitable for applications where the major requirement is function of the completed assembly.

CLASS 2 Dedicated Service Electronic Products

Includes products where continued performance and extended life is required, and for which uninterrupted service is desired but not critical. Typically, the end-use environment would not cause failures.

CLASS 3 High Performance/Harsh Environment Electronic Products

Includes products where continued high performance or performance-on-demand is critical, equipment downtime cannot be tolerated, end-use environment may be uncommonly harsh, and the equipment **shall** function when required, such as life support or other critical systems.

1.3 Measurement Units

All dimensions and tolerances in this specification are expressed in hard SI (metric) units and bracketed soft imperial [inch] units. Users of this specification are expected to use metric dimensions. All dimensions ≥ 1 mm [0.0394 in] will be expressed in millimeters and inches. All dimensions < 1 mm [0.0394 in] will be expressed in micrometers and microinches.

1.4 Definition of Requirements The words **shall** or **shall not** are used in the text of this document wherever there is a requirement for materials, preparation, process control or acceptance.

The word "should" reflects recommendations and is used to reflect general industry practices and procedures for guidance only.

Line drawings and illustrations are depicted herein to assist in the interpretation of the written requirements of this standard. The text takes precedence over the figures.

1.5 Process Control Requirements

The primary goal of process control is to continually reduce variation in the processes, products, or services to provide products or processes meeting or exceeding User requirements. Process control tools such as IPC-9191, JESD557 or other User-approved system may be used as guidelines for implementing process control.

Manufacturers of Class 3 products **shall** develop and implement a documented process control system.

A documented process control system, if established, **shall** define process control and corrective action limits.

This may or may not be a statistical process control system. The use of "statistical process control" (SPC) is optional and should be based on factors such as design stability, lot size, production quantities, and the needs of the Manufacturer, see 4.5.

Process control methodologies **shall** be used in the planning, implementation and evaluation of the manufacturing processes used to produce soldered electrical and electronic assemblies. The philosophy, implementation strategies, tools and techniques may be applied in different sequences depending on the specific company, operation, or variable under consideration to relate process control and capability to end product requirements.

When a decision or requirement is to use a documented process control system, failure to implement process corrective action and/or the use of continually ineffective corrective actions would be grounds for disapproval of the process and associated documentation.

1.6 Order of Precedence The contract takes precedence over this standard, referenced standards and drawings.

©Copyright 2026. IPC International, Inc., Bannockburn, Illinois.